		to analy		
L Number	Hits	Search Text	DB	Time stamp
1	5665	(358/1.15).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/30 10:32
2	975	(updat\$5 upgrad\$5 download\$5 access\$5) with (printer\$5 copy adj2 machine\$5 facsimile\$5 imag\$4 adj2 form\$5 adj2 apparatus\$5) same (capabilit\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/30 10:34
3	94	((358/1.15).ccls.) and ((updat\$5 upgrad\$5 download\$5 access\$5) with (printer\$5 copy adj2 machine\$5 facsimile\$5 imag\$4 adj2 form\$5 adj2 apparatus\$5) same (capabilit\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/30 10:34
4	53	(((358/1.15).ccls.) and ((updat\$5 upgrad\$5 download\$5 access\$5) with (printer\$5 copy adj2 machine\$5 facsimile\$5 imag\$4 adj2 form\$5 adj2 apparatus\$5) same (capabilit\$5))) and @ad<20010122	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 10:34
_	38	facsimile\$5 imag\$4 adj2 form\$5 adj2 apparatus\$5) with (featur\$5 adj2 pag\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 17:10
-	52516	<pre>(printer\$5 copy adj2 machine\$5 facsimile\$5 imag\$4 adj2 form\$5 adj2 apparatus\$5) with (description\$6 feature\$5)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/28 16:36
_	43	(printer\$5 copy adj2 machine\$5 facsimile\$5 imag\$4 adj2 form\$5 adj2 apparatus\$5) with (description\$6 adj3 feature\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/28 16:42
_	31	((printer\$5 copy adj2 machine\$5 facsimile\$5 imag\$4 adj2 form\$5 adj2 apparatus\$5) with (description\$6 adj3 feature\$5)) and @ad<20010122	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/28 16:44
-	242	(printer\$5 copy adj2 machine\$5 facsimile\$5 imag\$4 adj2 form\$5 adj2 apparatus\$5) with (description\$6 adj2 page\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/28 16:44
_	90	((printer\$5 copy adj2 machine\$5 facsimile\$5 imag\$4 adj2 form\$5 adj2 apparatus\$5) with (description\$6 adj2 page\$3)) and @ad<20010122	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/29 12:19
-	57	<pre>facsimile\$5 imag\$4 adj2 form\$5 adj2 apparatus\$5) with (featur\$5 adj1 (pag\$5 information\$5))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 16:57
	1572	(printer\$5 copy adj2 machine\$5 facsimile\$5 imag\$4 adj2 form\$5 adj2 apparatus\$5) adj3 (featur\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/28
-	16	(printer\$5 copy adj2 machine\$5 facsimile\$5 imag\$4 adj2 form\$5 adj2 apparatus\$5) adj3 (featur\$5 adj2 (information\$5 description\$5 page\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/28 17:02

	5	<pre>(printer\$5 copy adj2 machine\$5 facsimile\$5 imag\$4 adj2 form\$5 adj2 apparatus\$5) with (updat\$5 upgrad\$5 download\$5 install\$5) with (featur\$5 adj2</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/28 17:13
-	749	<pre>(page\$5 information\$5)) print\$5 with (printer\$5 copy adj2 machine\$5 facsimile\$5 imag\$4 adj2 form\$5 adj2 apparatus\$5) adj2 feature\$5</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/28 17:07
-	4	print\$5 with (printer\$5 copy adj2 machine\$5 facsimile\$5 imag\$4 adj2 form\$5 adj2 apparatus\$5) adj2 feature\$5 adj2 page\$5	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/28 17:12
-	34	(printer\$5 copy adj2 machine\$5 facsimile\$5 imag\$4 adj2 form\$5 adj2 apparatus\$5) with (help\$5 adj2 menu\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/28 17:12
-	11	((printer\$5 copy adj2 machine\$5 facsimile\$5 imag\$4 adj2 form\$5 adj2 apparatus\$5) with (help\$5 adj2 menu\$2)) and @ad<20010122	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/28 17:16
-	1	<pre>(updat\$5 upgrad\$5 download\$5 install\$5) with (file\$5 page\$5) with (describ\$5) with (printer\$5 copy adj2 machine\$5 facsimile\$5 imag\$4 adj2 form\$5 adj2 apparatus\$5) with (featur\$5)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/28 17:14
-	185	(file\$5 page\$5) adj4 (describ\$5) with printer\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/28 17:16
_	2	<pre>(updat\$5 upgrad\$5 download\$5 install\$5) with (file\$5 page\$5) with (describ\$5) same ((printer\$5 copy adj2 machine\$5 facsimile\$5 imag\$4 adj2 form\$5 adj2 apparatus\$5) with (featur\$5))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/28 17:21
_	1		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/28 17:16
-	122	((file\$5 page\$5) adj4 (describ\$5) with printer\$5) and @ad<20010122	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/28 17:23
_	28	<pre>(updat\$5 upgrad\$5 download\$5 install\$5) with ((printer\$5 copy adj2 machine\$5 facsimile\$5 imag\$4 adj2 form\$5 adj2 apparatus\$5) adj2 (featur\$5))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/28 17:23
-	18	((updat\$5 upgrad\$5 download\$5 install\$5) with ((printer\$5 copy adj2 machine\$5 facsimile\$5 imag\$4 adj2 form\$5 adj2 apparatus\$5) adj2 (featur\$5))) and @ad<20010122	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/29 09:48
_	9	(featur\$5 information\$5) same describ\$5 same (printer\$5 copy adj2 machine\$5 facsimile\$5 imag\$4 adj2 form\$5 adj2 apparatus\$5) adj1 (parameter\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/29 15:17
-	2	("6333790").PN.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/29 15:00

			75	
_	104	5467434.URPN.	USPAT	2004/07/29 14:39
_	2	("5467434").PN.	USPAT;	2004/07/29
			US-PGPUB;	14:38
			EPO; JPO; DERWENT;	
			IBM TDB	
-	11	(featur\$5 information\$5) same describ\$5	USPAT;	2004/07/29
		same (printer\$5 copy adj2 machine\$5	US-PGPUB;	15:02
		facsimile\$5 imag\$4 adj2 form\$5 adj2 apparatus\$5) adj1 (characteristic\$5	EPO; JPO; DERWENT;	
		capabilit\$5 attribut\$5)	IBM_TDB	
_	14	(describ\$5 with (printer\$5 copy adj2	USPAT;	2004/07/29
		machine\$5 facsimile\$5 imag\$4 adj2 form\$5 adj2 apparatus\$5) adj2	US-PGPUB; EPO; JPO;	14:20
		(characteristic\$5)) and @ad<20010122	DERWENT;	
	1.7	3	IBM_TDB	2004/07/20
-	17	describ\$5 with (printer\$5 copy adj2 machine\$5 facsimile\$5 imag\$4 adj2 form\$5	USPAT; US-PGPUB;	2004/07/29
		adj2 apparatus\$5) adj2 (characteristic\$5)	EPO; JPO;	
			DERWENT; IBM TDB	
_	1225	 print\$5 with (printer\$5 copy adj2	USPAT;	2004/07/29
		machine\$5 facsimile\$5 imag\$4 adj2 form\$5	US-PGPUB;	14:26
		adj2 apparatus\$5) adj2 (characteristic\$5)	EPO; JPO; DERWENT;	
			IBM TDB	
-	18	file\$5 with (printer\$5 copy adj2	USPAT;	2004/07/29
1		machine\$5 facsimile\$5 imag\$4 adj2 form\$5 adj2 apparatus\$5) adj2 (characteristic\$5)	US-PGPUB; EPO; JPO;	14:23
		dajz apparacasyo, dajz (characcerssic)	DERWENT;	
	-	Silon - aidinon mith (maintenon adi)	IBM_TDB	2004/07/29
-	1	fil\$5 adj4 contain\$5 with (printer\$5 adj2 characteristic\$5)	USPAT; US-PGPUB;	13:57
		•	EPO; JPO;	
			DERWENT; IBM TDB	
_	0	file\$5 with describ\$5 with (printer\$5	USPAT;	2004/07/29
		copy adj2 machine\$5 facsimile\$5 imag\$4	US-PGPUB;	14:13
		adj2 form\$5 adj2 apparatus\$5) adj2 (characteristic\$5)	EPO; JPO; DERWENT;	
			IBM_TDB	
-	23		USPAT; US-PGPUB;	2004/07/29
		with (printer\$5 copy adj2 machine\$5 facsimile\$5 imag\$4 adj2 form\$5 adj2	EPO; JPO;	13.33
		apparatus\$5) adj2 (characteristic\$5)	DERWENT;	
_	7	 ("4947345" "5050100" "5819015"	IBM_TDB USPAT	2004/07/29
	'	"5873659" "6088120" "6097498"	JULAI	13:46
		"6175839").PN.	Hann.	2004/07/20
-	76	((updat\$5 upgrad\$5 download\$5 access\$5) with (printer\$5 copy adj2 machine\$5	USPAT; US-PGPUB;	2004/07/29 14:28
		facsimile\$5 imag\$4 adj2 form\$5 adj2	EPO; JPO;	
		apparatus\$5) adj2 (configuration\$5)) and @ad<20010122	DERWENT; IBM TDB	
_	132	(updat\$5 upgrad\$5 download\$5 access\$5)	USPAT;	2004/07/29
		with (printer\$5 copy adj2 machine\$5	US-PGPUB;	12:23
		facsimile\$5 imag\$4 adj2 form\$5 adj2 apparatus\$5) adj2 (configuration\$5)	EPO; JPO; DERWENT;	
			IBM_TDB	
-	2	("6333790").PN.	USPAT; US-PGPUB;	2004/07/29
			EPO; JPO;	12.17
			DERWENT;	
_	363	((updat\$5 upgrad\$5 download\$5 access\$5)	IBM_TDB USPAT;	2004/07/29
		with (printer\$5 copy adj2 machine\$5	US-PGPUB;	12:24
		facsimile\$5 imag\$4 adj2 form\$5 adj2 apparatus\$5) adj2 (information\$5	EPO; JPO; DERWENT;	
		apparatus;) adj2 (information;) attribut; 5 capabilit; 5 documentation; 5))	IBM TDB	
		and @ad<20010122	_	

_	617	(updat\$5 upgrad\$5 download\$5 access\$5)	USPAT;	2004/07/29
		with (printer\$5 copy adj2 machine\$5	US-PGPUB;	13:47
		facsimile\$5 imag\$4 adj2 form\$5 adj2	EPO; JPO;	
		apparatus\$5) adj2 (information\$5	DERWENT;	
		attribut\$5 capabilit\$5 documentation\$5)	IBM_TDB	2004/07/20
-	0	(updat\$5 upgrad\$5 download\$5) with	USPAT;	2004/07/29
		(information\$5 feature\$5) with "of" with (printer\$5 copy adj2 machine\$5	US-PGPUB; EPO; JPO;	09:50
		facsimile\$5 imag\$4 adj2 form\$5 adj2	DERWENT;	
	1	apparatus\$5)	IBM TDB	
_	2062	(updat\$5 upgrad\$5 download\$5) with	USPAT;	2004/07/29
		(information\$5 feature\$5) with (printer\$5	US-PGPUB;	10:09
		copy adj2 machine\$5 facsimile\$5 imag\$4	EPO; JPO;	
		adj2 form\$5 adj2 apparatus\$5)	DERWENT;	
			IBM_TDB	
_	100	(updat\$5 upgrad\$5 download\$5) with	USPAT;	2004/07/29
		(feature\$5) with (printer\$5 copy adj2	US-PGPUB;	10:16
		machine\$5 facsimile\$5 imag\$4 adj2 form\$5	EPO; JPO;	
		adj2 apparatus\$5)	DERWENT; IBM TDB	
l <u>-</u>	55	((updat\$5 upgrad\$5 download\$5) with	USPAT;	2004/07/29
	""	(feature\$5) with (printer\$5 copy adj2	US-PGPUB;	10:18
		machine\$5 facsimile\$5 imag\$4 adj2 form\$5	EPO; JPO;	10.10
		adj2 apparatus\$5)) and @ad<20010122	DERWENT;	
			IBM TDB	
_	142	(updat\$5 upgrad\$5 download\$5) with	USPĀT;	2004/07/29
		(capabilit\$5) with (printer\$5 copy adj2	US-PGPUB;	10:32
		machine\$5 facsimile\$5 imag\$4 adj2 form\$5	EPO; JPO;	
		adj2 apparatus\$5)	DERWENT;	
		() #AF	IBM_TDB	0004/07/00
-	2	(updat\$5 upgrad\$5 download\$5) with	USPAT;	2004/07/29
		(feature\$5 adj2 page\$5) with (printer\$5 copy adj2 machine\$5 facsimile\$5 imag\$4	US-PGPUB; EPO; JPO;	10:41
		adj2 form\$5 adj2 apparatus\$5)	DERWENT;	
	'	auji rozmyo duji uppuruousyo,	IBM TDB	
_	27	5159681.URPN.	USPAT	2004/07/29
				10:37
_	0	(updat\$5 upgrad\$5 download\$5) with	USPAT;	2004/07/29
		(capabilit\$5 near4 constraint\$5) with	US-PGPUB;	10:44
		(printer\$5 copy adj2 machine\$5	EPO; JPO;	
		facsimile\$5 imag\$4 adj2 form\$5 adj2	DERWENT;	
	0	apparatus\$5) (updat\$5 upgrad\$5 download\$5) with	IBM_TDB USPAT;	2004/07/29
1		(manufactur\$5 near4 featur\$5) with	US-PGPUB;	10:46
		(printer\$5 copy adj2 machine\$5	EPO; JPO;	10.10
		facsimile\$5 imag\$4 adj2 form\$5 adj2	DERWENT;	
		apparatus\$5)	IBM_TDB	
-	3	(updat\$5 upgrad\$5 download\$5) with	USPĀT;	2004/07/29
		(information\$5 near4 featur\$5) with	US-PGPUB;	10:49
1	1	(printer\$5 copy adj2 machine\$5	EPO; JPO;	
1		facsimile\$5 imag\$4 adj2 form\$5 adj2	DERWENT;	
1_	142	apparatus\$5) (updat\$5 upgrad\$5 download\$5) with	IBM_TDB USPAT;	2004/07/29
1] 142	(updat;5 upgrad;5 downroad;5) with (printer;5 copy adj2 machine;5	US-PGPUB;	10:52
		facsimile\$5 imag\$4 adj2 form\$5 adj2	EPO; JPO;	10.02
		apparatus\$5) with (capabilit\$5)	DERWENT;	
			IBM TDB	
-	1	(updat\$5 upgrad\$5 download\$5 access\$5)	USPAT;	2004/07/29
		with (printer\$5 copy adj2 machine\$5	US-PGPUB;	10:55
		facsimile\$5 imag\$4 adj2 form\$5 adj2	EPO; JPO;	
		apparatus\$5) with (user\$5 adj2	DERWENT;	
_	1	documentation\$5) (updat\$5 upgrad\$5 download\$5 access\$5)	IBM_TDB USPAT;	2004/07/29
		(updat;5 upgrad;5 download;5 access;5) with (printer;5 copy adj2 machine;5	US-PGPUB;	10:57
	-	facsimile\$5 imag\$4 adj2 form\$5 adj2	EPO; JPO;	10.57
		apparatus\$5) same (user\$5 adj2	DERWENT;	
		documentation\$5)	IBM TDB	
-	92	((updat\$5 upgrad\$5 download\$5) with	USPAT;	2004/07/29
		(capabilit\$5) with (printer\$5 copy adj2	US-PGPUB;	11:02
		machine\$5 facsimile\$5 imag\$4 adj2 form\$5	EPO; JPO;	
		adj2 apparatus\$5)) and @ad<20010122	DERWENT;	
L	L		IBM TDB	

Search History 7/30/04 10:44:43 AM Page 4

-	68	(updat\$5 upgrad\$5 download\$5 access\$5)	USPAT;	2004/07/29
		with (printer\$5 copy adj2 machine\$5	US-PGPUB;	11:18
		facsimile\$5 imag\$4 adj2 form\$5 adj2	EPO; JPO;	
		apparatus\$5) same (capabilit\$5 near3 information\$5)	DERWENT; IBM TDB	
_	44	((updat\$5 upgrad\$5 download\$5 access\$5)	USPAT;	2004/07/29
	11	with (printer\$5 copy adj2 machine\$5	US-PGPUB;	11:33
		facsimile\$5 imag\$4 adj2 form\$5 adj2	EPO; JPO;	11.55
		apparatus\$5) same (capabilit\$5 near3	DERWENT;	
		information\$5)) and @ad<20010122	IBM TDB	
-	7	(updat\$5 upgrad\$5 download\$5 access\$5)	USPAT;	2004/07/29
		with (printer\$5 copy adj2 machine\$5	US-PGPUB;	11:22
		facsimile\$5 imag\$4 adj2 form\$5 adj2	EPO; JPO;	
1		apparatus\$5) same ((feature\$5	DERWENT;	
	6	capabilit\$5) near3 description\$5)	IBM_TDB	0004/07/00
-	6	<pre>(updat\$5 upgrad\$5 download\$5 access\$5) with (printer\$5 copy adj2 machine\$5</pre>	USPAT; US-PGPUB;	2004/07/29
		facsimile\$5 imag\$4 adj2 form\$5 adj2	EPO; JPO;	11:30
		apparatus\$5) same (feature\$5 adj2 page\$5)	DERWENT;	
	}	apparatusys, same (reatureys adjz pageys)	IBM TDB	
-	64	(updat\$5 upgrad\$5 download\$5 access\$5)	USPAT;	2004/07/29
		with (printer\$5 copy adj2 machine\$5	US-PGPUB;	11:37
		facsimile\$5 imag\$4 adj2 form\$5 adj2	EPO; JPO;	
	ļ	apparatus\$5) adj2 (capabilit\$5)	DERWENT;	
			IBM_TDB	
-	39		USPAT;	2004/07/29
		with (printer\$5 copy adj2 machine\$5	US-PGPUB;	11:40
		facsimile\$5 imag\$4 adj2 form\$5 adj2	EPO; JPO;	
		apparatus\$5) adj2 (capabilit\$5)) and @ad<20010122	DERWENT;	
_	156	@ad<20010122 (updat\$5 upgrad\$5 download\$5 access\$5)	IBM_TDB USPAT;	2004/07/29
	136	with (printer\$5 copy adj2 machine\$5	US-PGPUB;	11:46
		facsimile\$5 imag\$4 adj2 form\$5 adj2	EPO; JPO;	11.40
		apparatus\$5) with (attribut\$5)	DERWENT;	
		uppulation	IBM TDB	
-	89	((updat\$5 upgrad\$5 download\$5 access\$5)	USPAT;	2004/07/29
		with (printer\$5 copy adj2 machine\$5	US-PGPUB;	15:19
		facsimile\$5 imag\$4 adj2 form\$5 adj2	EPO; JPO;	
		apparatus\$5) with (attribut\$5)) and	DERWENT;	
		@ad<20010122	IBM_TDB	
	2	(updat\$5 upgrad\$5 download\$5 access\$5)	USPAT;	2004/07/29
		with (printer\$5 copy adj2 machine\$5	US-PGPUB;	12:00
		facsimile\$5 imag\$4 adj2 form\$5 adj2 apparatus\$5) with (capabilit\$5 adj2	EPO; JPO; DERWENT;	
	!	apparatus\$5) with (capabilit\$5 adj2 featur\$5)	IBM TDB	
-	23	1	USPAT;	2004/07/29
1		adj2 machine\$5 facsimile\$5 imag\$4 adj2	US-PGPUB;	15:32
	}	form\$5 adj2 apparatus\$5) adj1 (propert\$5	EPO; JPO;	
		parameter\$5 capabili\$5 attribut\$5)	DERWENT;	
			IBM_TDB	
-	6	(USPAT;	2004/07/29
		copy adj2 machine\$5 facsimile\$5 imag\$4	US-PGPUB;	15:36
		adj2 form\$5 adj2 apparatus\$5) adj1	EPO; JPO;	
		(propert\$5 parameter\$5 capabili\$5	DERWENT;	
_	2	attribut\$5)) and @ad<20010122 ("5630062").PN.	IBM_TDB USPAT;	2004/07/29
	*	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	US-PGPUB;	15:22
			EPO; JPO;	13.22
1			DERWENT;	
			IBM TDB	
-	2	("6501485").PN.	USPĀT;	2004/07/29
	1		US-PGPUB;	15:23
			EPO; JPO;	
			DERWENT;	
	1	(#5065050# #6655550# #555550#	IBM_TDB	
-	13	("5061958" "5079723" "5226112"	USPAT	2004/07/29
		"5436730" "5450571" "5467434"		15:26
		"5493634" "5579447" "5604860" "5614993" "5717439" "5877746"		
		"5614993" "5717439" "5877746" "5978559").PN.		
	1	05/0005 / EN.	l	1

			•	
_	37	control adj2 panel\$5 with display\$5 same	USPAT;	2004/07/29
-		(printer\$5 copy adj2 machine\$5	US-PGPUB;	15:42
		facsimile\$5 imag\$4 adj2 form\$5 adj2	EPO; JPO;	
		apparatus\$5) with (propert\$5 parameter\$5	DERWENT;	
,		capabili\$5 attribut\$5)	IBM TDB	
_	23		USPĀT;	2004/07/29
]		(printer\$5 copy adj2 machine\$5	US-PGPUB;	15:44
		facsimile\$5 imag\$4 adj2 form\$5 adj2	EPO; JPO;	
		apparatus\$5) with (propert\$5 parameter\$5	DERWENT;	
		capabili\$5 attribut\$5)) and @ad<20010122	IBM TDB	
_	18	access\$5 with (printer\$5 copy adj2	USPAT;	2004/07/29
		machine\$5 facsimile\$5 imag\$4 adj2 form\$5	US-PGPUB;	15:43
		adj2 apparatus\$5) with (propert\$5	EPO; JPO;	1
		parameter\$5 capabili\$5 attribut\$5) same	DERWENT;	
		(control adj2 panel\$5)	IBM TDB	
_	15		USPAT;	2004/07/29
ľ		machine\$5 facsimile\$5 imag\$4 adj2 form\$5	US-PGPUB;	15:44
		adj2 apparatus\$5) with (propert\$5	EPO; JPO;	
		parameter\$5 capabili\$5 attribut\$5) same	DERWENT;	
		(control adj2 panel\$5)) and @ad<20010122	IBM TDB	l l
-	2	("6333790").PN.	USPAT;	2004/07/29
1			US-PGPUB;	16:30
			EPO; JPO;	
			DERWENT;	
Ì			IBM TDB	ĺ
_	2	("6362894").PN.	USPAT;	2004/07/29
			US-PGPUB;	16:30
			EPO; JPO;	
			DERWENT;	1
			IBM TDB	
-	2	("6628413").PN.	USPAT;	2004/07/29
			US-PGPUB;	16:37
			EPO; JPO;	·
			DERWENT;]
			IBM_TDB	
] -	1	(printer\$5 with (web\$5 adj2 browser\$5	USPAT;	2004/07/30
		web\$5 internet\$5)) with (updat\$5	US-PGPUB;	10:31
		download\$5 upgrad\$5) with (printer\$5 adj2	EPO; JPO;	
		(attribut\$5 parameter\$5 capabilit\$5	DERWENT;	·
		characteristic\$5))	IBM TDB	